

# Notice of Allowability

Application No.

10/659,002

Examiner

Nasser Ahmad

Applicant(s)

BARTEK, ROBERT

Art Unit

1772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/27/2003.
2. ☒ The allowed claim(s) is/are 1,6 and 7.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                   |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input checked="" type="checkbox"/> Other <u>See Continuation Sheet</u> .          |

Continuation of Attachment(s) 9. Other: Drawings filed on 9/10/2003 are accepted by the examiner.

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

2. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered withdrawn claims 22 (second occurrence) to 24 have been renumbered as 23-25 in the amendment filed on 1/27/2006, 6/27/2005 and as originally filed on 9/10/2003.

Claims 14-25 have been cancelled as being directed non-elected without traverse invention group.

3. The following is an examiner's statement of reasons for allowance:

Applicants' arguments in amendment filed on January 27, 2006 and a review of the instant amended claims has convinced the examiner that the claims are allowable over the applied prior art of record. The prior art fails to teach or suggest a roll of pre-

Art Unit: 1772

fabricated asphalt-based roofing membrane consisting essentially of an asphalt saturated reinforcing substrate, a separate top asphalt layer overlays and is coextensive with the top major surface of the substrate, a separate bottom asphalt layer overlays and is coextensive with the bottom major surface of the substrate, a preformed highly reflective thermoplastic elastomer consisting essentially of a polyvinyl chloride material and a reflective pigment forms a top surface of the exposed portion of the top major surface of the substrate, an impermeable polymer primer layer is positioned intermediate the top asphalt layer and the reflective layer, and is bonded directly to said two layers, and at least one of the top and bottom major surfaces of the membrane is provided with a release liner sheet. Also, no evidentiary support could be provided to support the position that the instant claimed invention would have been obvious to one having ordinary skill in the art.

Further, Urbanek fails to show that its acrylic shielding layer contains filler that materially affects its properties and also fails to show that the shielding layer would exhibit an initial solar reflectance of 0.65 and a solar reflectance of at least 0.59 after three years.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nasser Ahmad whose telephone number is 571-272-

Art Unit: 1772

1487. The examiner can normally be reached on 7:30 AM to 5:00 PM, and on alternate Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Nasser Ahmad 3/9/06  
Primary Examiner  
Art Unit 1772

N. Ahmad.  
February 9, 2006.